

APPLICATION  
FOR  
UNITED STATES LETTERS PATENT

TITLE: PAYOUT DISTRIBUTIONS FOR GAMES OF CHANCE  
APPLICANT: PETER GAIDAREV AND JONATHAN W. WOO


CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL932078862US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202.

Date of Deposit December 5, 2001

Signature



Leroy Jenkins  
Typed or Printed Name of Person Signing Certificate

# PAYOUT DISTRIBUTIONS FOR GAMES OF CHANCE

## BACKGROUND

This invention relates to payout distributions for games of chance.

5

In a typical game of chance, a player plays the game repeatedly.

For each play, he places something of value at risk and receives either no payout or a payout of value. The payout of value can be in any form. Some examples are coins, tokens, credits, or tickets.

10

Each play can result in different levels of payout (for example, payouts at levels of \$0, \$10, \$20, and \$100) and each payout level has a probability. For example, each play may have a probability of 5% of producing a payout at the \$100 level, a probability of 20% of a \$20 payout, 20% for a \$10 payout, and 55% for a payout of \$0.

15

The different levels of payout and the probability of each payout level occurring on a given play is called the payout distribution. In some games, such as some card games, the payout distribution is determined by the rules of the game. In other games, such as typical mechanized games of chance (e.g., slot machines), the manufacturer or operator of the game (which we will call the house) can set the payout distribution (in the case of slot machines,

20

Attorney Docket 10530-006001

the frequencies and payouts are expressed on a so called "par sheet.").

For example, if a slot machine has 30,000 possible reel positions, there are 30,000 equally possible outcomes for each play. Of these outcomes, a certain number are set to result in a particular payout amount. If 1800 of the possible outcomes are set to produce a payout of 5 coins, a player will win 5 coins in 6% of his plays. If 900 of the possible outcomes are set to produce a payout of 10 coins, a player will win 10 coins in 3% of his plays. The sum of the percentages for all of the possible non-zero payouts is called the hit rate.

The house typically offers multiple units of the game (e.g., rooms full of slot machines) to large numbers of players. The payout distribution to the players determines both the house hold (the average fraction of the payer's at-risk value which the house retains as gross profit) and the quality of the experience for players of the game.

Games having the same hold can produce widely different experiences for players.

For instance, consider two games which both have a hold of 10% and which require the player to risk one dollar to play. Suppose one game produces only a single \$1,000,000 payout on average every 1.1 million plays and the other produces a single \$10 payout on average every 11.1 plays. From the point of view of the house,

Attorney Docket 10530-006001

these games are essentially the same in that the long-term hold is 10% of money that players put at risk.

However, the players of the two games have much different experiences.

The first game can provide the thrill of a potential million-dollar windfall, but very few people ever experience it. The second game provides a much more modest payout, but the payout is still ten times the price of a single play, and anyone can experience it if he is moderately persistent in playing. If each game is played once every ten seconds 24 hours per day, the first game produces an average of only 2.9 winners per year while the second game produces an average of 864 winners per day.

The gaming industry often characterizes games by their hold, their hit rate (the frequency with which a player wins a payout of any amount), and their volatility (the expected volatility in the percentage of hold as a function of the number of plays).

## SUMMARY

In general, in one aspect, the invention features a method in which, based on a metric that represents a value of a game of chance, a payout distribution is optimized with respect to the metric.

Implementations of the invention may include one or more of the following features. The metric represents a quality of a player experience. The metric evaluates payouts for successive plays of

Attorney Docket 10530-006001

the game, or the quality of experience for average players who receive more frequent payouts, or a fraction of players experiencing payouts in a succession of plays. The metric is chosen based on characteristics of particular player populations. The characteristic includes at least one of (a) location of game played, (b) time of day played, (c) amounts put at risk, and (d) identity of games played. The payout distribution includes a number of the payout levels, a frequency of payouts, or levels of payouts. The optimizing includes simulating a number of players. Different termination rules are applied for respective groups of the players, each of the termination rules defining when play of each of the players in the group will terminate. At least one of the termination rules provides for termination when a player has reached a predefined number of plays or when a player has experienced a predefined number of plays with no payouts. The metric includes the aggregate payout among all of the players or the aggregate number of plays of all of the players. The number of players is based on the frequency of payouts or on a specified accuracy to be achieved in the optimizing. The optimizing includes generating simulations of player experiences. The number of plays is based on the occurrence of a length of time elapsed during play. The number of plays is based on the depletion of an initial budget. The optimizing applies a genetic algorithm to the player experiences. The optimizing is based on predefined constraints. The constraints are associated with amounts of house hold.

Attorney Docket 10530-006001

Other advantages and features will become apparent from the following description and from the claims.

## DESCRIPTION

Figures 1 through 4 are graphs.

5 Figure 5 is a block diagram.

As shown in figure 5, an optimization system 10 can be used to generate an optimized payout distribution 12 for a game of chance (defined by game rules 14) with respect to a user-specified design goal 16, without violating user-specified constraints 18. (By user, we are not referring to the player of the game but rather to the party that, for example, designs or configures the game.)

10 The design goal 16 could be to optimize (e.g., maximize) the payout distribution by determining the payout distribution that produces the highest value of a metric or combination of metrics 20 subject to meeting the constraints 18, for example, a minimum hold, a number of payout levels, or a minimum hit rate.

15 The optimization system 10 includes a simulation process 30 for simulating sequences of plays experienced by each of a number of players of the game. Such a sequence would, for a given player, represent the number of plays and the payout for each play, for example. Each sequence can be considered a player experience for the corresponding player. The simulation uses a pseudo-random

Attorney Docket 10530-006001

number generator 34 to simulate the experiences of a large number of players.

### *Metrics*

A wide range of different metrics can be used to represent the quality of a player experience. For example, the metric may represent the quality of the experience for an average player rather than the quality of experience for exceptional players who win rare payouts. The metrics may also include more than a final change in wealth experienced by the average player. They may also include events along the way that lend an enjoyable aspect to what the player should know is a losing game. Among the many possible metrics for player experience is the fraction of players experiencing winning "streaks" during their play. Furthermore, the appropriate metric will be different for different player populations who play at different games, locations, and times of day or who put different amounts of money at risk. These variations can also be considered in the optimization process. A player might be offered the option of different types of games (even within the same machine) that have been labeled in such a way that the player can select the game that provides the experience that he or she is seeking.

### *Termination rules*

The computation of metrics may take account of termination rules 33 that determine the conditions under which players quit playing

Attorney Docket 10530-006001

the game. Different termination rules reflect different playing behaviors or different experiences being sought by players. For example, some players quit after a set number of plays or after a set number of plays with no payouts. Others do not quit until they have run out of money. The different rules mandate different payout distributions no matter which metric is being optimized. The simulation corresponding to a player's experience is continued for a number of plays until terminated according to a rule that is part of the metric. Such rules might be based, for example, on the payout experience (e.g., quit after no payouts in 20 plays) or time (e.g., quit after two hours) or money (e.g., quit when the budget is exhausted), or on more complicated combinations of these and other factors.

*Number of players simulated*

The number of players simulated depends on the frequency of the events, that is, the payouts upon which the metric is based, and on the desired accuracy of the result. For instance, if the metric is the number of players experiencing a rare payout, many simulations are required to measure the metric accurately. A smaller number of simulated players may be used for frequent events. The number of players being simulated may be varied from smaller numbers early in the process to larger numbers later as the optimizer (described below) gets closer to an optimal solution.



### *Optimizer*

An optimizer 32 optimizes the payout distribution 12 to achieve the best value of one or more metrics and consistent with the constraints 18. In some implementations, the optimizer performs the optimization using a genetic algorithm (GA) 36 because of its good general convergence properties. Other algorithms may yield shorter computation times depending on the metric employed. The GA uses a vector to represent the payout distribution and adjusts that vector to optimize the metric while assuring that all proposed solutions of payout distributions are consistent with the constraints 18 imposed by the user.

The interplay between constraints and metrics can comply with a wide variety of design requirements. One could, for instance, require a specific hold and maximize a particular metric of the quality of player experience metric (as represented by the simulation) or conversely maximize the hold while maintaining any metric or set of metrics at a given level.

The system of figure 5 can be implemented using software, hardware, firmware, or some combination of them.

### *Slot machine example*

An example of a practical application is the optimization of a slot machine.

One metric for a slot machine is the fraction of players experiencing at least a specified level of wealth at least at one point during the player experience. The level of wealth is expressed as a percentage of an initial budget (the amount of money that a given player is initially willing to put at risk). This metric assumes that players derive entertainment value from being ahead of the house (by some amount) at some point during their period of play even though they will lose some or all of that money in the end.

In a specific case, assume that each of 100,000 players begins with a budget of 1000 coins, plays two coins each time in each play, and quits after losing 1000 coins or playing 720 plays, whichever comes first.

Suppose that the user is interested in modifying an existing machine to operate according to a par sheet that has the same number of payouts as the existing machine while requiring the hold to increase from 5% to 6.5%.

The optimization system optimizes the payout distribution based on a set of simulated player experiences generated by the simulation process 30, each of them satisfying the constraints 18. The simulation process measures the quality of each player experience using the metric. The optimizer then optimizes the payout distribution to maximize the value of the metric.

In this example, we first show the result when the user wants to maximize the proportion of players who have, at some point during

Attorney Docket 10530-006001

their period of play, accumulated at least 10% more than their initial stake (the budget). The accumulation of at least 10% more wealth is the metric. What is being optimized is the proportion of players who achieve at least that wealth.

In figure 1, the curve 50 marked with x's represents the cumulative numbers of players (arrayed along the y-axis) who achieve specific wealth levels (arrayed along the x-axis) at some point during play using the original machine. For example, point 52 represents 40,000 players each achieving a wealth of at least 1150 coins at some point during play. The curve demonstrates that almost no players would achieve a wealth of at least 3000 coins while all 100,000 players would achieve a wealth of 1000 coins or more (which they must given that they all start with 1000 coins).

In figure 2, the shaded bars represent the cumulative distribution of maximum wealth as a function of the percentage of the maximum wealth above the initial budget. For example, bar 60 represents the 43% of the players who at some point during their play achieve a maximum wealth of 1100 coins, 10% over the initial budget.

The bulleted curve 54 in figure 1 and the unshaded bars in figure 2 represent similar information for a modification of the machine intended to achieve better player experience compared to the original machine by optimization of a metric of player experience.

As shown, the cumulative distribution of maximum wealth has been adjusted to increase the proportion of players who achieve

Attorney Docket 10530-006001

relatively smaller maximum wealths while reducing the proportion of players who achieve relatively very large maximum wealths.

For example, the bar 62 on figure 2 represents the fact that, in the optimized game, 71% of the players will achieve a wealth of 1100 coins, a much higher percentage than for the original machine.

In figures 3 and 4, the user has optimized the par sheet to maximize the fraction of players experiencing at least a 60% surplus over their initial stake. The result is even more different than in the original machine curves of figures 1 and 2 in that more than seven times as many players have that experience than for the initial game (as seen by the points on the two curves at the 1600 coin level represented by vertical line 70 on figure 3).

In both of these examples, the hold was also increased from 5.0% to 6.5%, illustrating that it is possible to improve the players' experiences while achieving greater revenue for the house.

The metric given in the example may not actually be the best metric to use for designing a slot machine payout distribution because it may not effectively characterize the entertainment value that players receive from playing slot machines. Better metrics could be determined based on research in gambling behavior.

Whatever metrics are deemed useful can be applied in the optimization method discussed above to design useful games.

Attorney Docket 10530-006001

Other implementations are within the scope of the following claims.

5

For example, for almost any metric that can be developed, it is possible to increase the value of the player experience while maintaining or increasing the hold. Furthermore, different metrics can and should be used to optimize the experience for different players based on the places, times, and types of machines they play as well as the amount of money they put at risk.

FOR FURTHER INFORMATION

Attorney Docket 10530-006001